



**SKANDINAVIENS LEDANDE
ABSORBENTPRODUCENT**

**COMMERCE OF ABSORBENT
PRODUCTS FOR
SPILL PREVENTION**

trust safety knowledge

Exclusive distributor of the Central and
Eastern European Region

Head office: SANOL HUNGARY Ltd. ■ **Tax number:**
H-1158 Budapest,
Hűtő utca 1.
HUNGARY

www.sanolcompany.eu

■ **Contact person: Szilvia Seres**
Address: 1158 Budapest, Hűtő utca 1.
Phone: +36 (20) 563-2860
E-mail: hungary@sanolcompany.eu

Tax number:
HU-24165866

Harbo T6 Self-Expanding Rapid Oil Boom – SH-HT6-320-15

The Harbo Boom is an oil spill first response system developed to immediately stop the spread of oil. It is a lightweight boom that can be deployed by anyone in just 15 minutes as it requires no special equipment.

Details

The oil spill first response system that immediately stops the spread of oil using advanced containment technology. Oil spills cause tremendous damage because of long response times. The longer it takes, the more the oil spreads causing extensive damage to the environment, infrastructure closure, accumulated cost and public scrutiny. Our lightweight and portable solution enables deployment within minutes by just two people, drastically reducing spill damage. With immediate containment capabilities, T6 controls the spill at its source, improving clean-up effectiveness.

Reduce the damage with a faster response

- **SPEED:** Lightweight and portable design supporting a rapid response - containment in less than an hour
- **EASY HANDLING:** Easy to use and only requires two non-specialized personnel
- **PARADIGM SHIFT:** Instead of bringing people and equipment to site after the spill, the equipment is available on site for rapid deployment
- **FIRST RESPONSE:** Contain marine oil spills immediately without heavy machinery or trained responders
- **BETTER CLEAN-UP:** Improves oil spill response effectiveness by containing oil when the spill occurs and stopping its spread thereby supporting clean-up methods
- **REDUCED CONSEQUENCES:** The more effective oil spill response helps avoid costly clean-up measures, infrastructure shutdowns, negative PR, and regulatory backlash
- **SMART DESIGN:** Durable and designed to respond effectively in coastal and inland waterways as well as offshore
- **UNLIMITED LENGTH:** Contains any size spill with unlimited length capacity
- **LESS STORAGE REQUIRED:** Requires 1/3-1/5 less storage space than ordinary containment boom
- **ATV can carry 500 ft 20 ft container can hold 7,500 ft**

We transform oil spill response with the fastest oil containment boom on the market. The Harbo Boom oil spill response system tackles the main problem when spills occur. Oil spills become major disasters when there's nothing on-site to stop oil from spreading. Don't wait for oil spill responders to arrive, improve oil spill response with our rapid containment technology.

The Harbo Boom is an oil spill first response system developed to immediately stop the spread of oil. It is a lightweight boom that can be deployed by anyone in just 15 minutes as it requires no special equipment.

Rapid Response: Instead of waiting for oil spill responders to arrive and relying heavy equipment, our system can be available onsite or easily transported for rapid deployment and prevention.

Minimal Manpower: The HARBO rapid response boom can be easily deployed by 1-2 people.

Lightweight design: Our lightweight design is the lightest oil containment option in the world. It is cartridge based and can be opened without tools. Don't let bulky equipment slow you down.



SKANDINAVIENS LEDANDE
ABSORBENTPRODUCENT

COMMERCE OF ABSORBENT
PRODUCTS FOR
SPILL PREVENTION

Exclusive distributor of the Central and
Eastern European Region

Head office: SANOL HUNGARY Ltd. Tax number:
H-1158 Budapest, HU-24165866
Hűtő utca 1.
HUNGARY


www.sanolcompany.eu

Contact person: Szilvia Seres
Address: 1158 Budapest, Hűtő utca 1.
Phone: +36 (20) 563-2860
E-mail: hungary@sanolcompany.eu

Special Features

- CARTRIDGE BASED: 15 m/50 ft of boom stored in an ultra-light 20 kg/40 lb cartridge.
- UNLIMITED LENGTH: Modular system allowing unlimited length with quick connectors every 15 m/50 ft.
- DURABLE: Tested at 5 knot river currents and open ocean conditions at sea state 3.
- EASY TO USE: Built for easy rapid response. Simply open and deploy.
- LIGHTWEIGHT: The size of a standard checked suitcase weighs only 20kg/40lbs.
- REUSABLE: Refold boom and resuse.

Boom Technical Specifications	
Art. no:	SH-HT6-320-15
Boom Weight:	920 gr/m (9.9 oz/ft)
Total Height:	32 cm (12.5")
Freeboard:	12 cm (4.5")
Draft/Skirt:	20 cm (8")
Handles:	Every 5m (16')
Connector:	Harbo Boom ClickFast Aluminum
Cartridge Specifications	
Length of Boom in Cartridge:	15 m (50')
Packaging:	Sturdy plastic shell. Collapsible
Weight of Cartridge:	19.6 kg (43 lbs.)
Dimensions of Cartridge:	60 x 40 x 70 cm (2' x 1'4" x 2'3")





SKANDINAVIENS LEDANDE
ABSORBENTPRODUCENT

COMMERCE OF ABSORBENT
PRODUCTS FOR
SPILL PREVENTION

Exclusive distributor of the Central and
Eastern European Region

■ Head office: SANOL HUNGARY Ltd. ■ Tax number:
H-1158 Budapest,
Hűtő utca 1.
HUNGARY

www.sanolcompany.eu

■ Contact person: Szilvia Seres
Address: 1158 Budapest, Hűtő utca 1.
Phone: +36 (20) 563-2860
E-mail: hungary@sanolcompany.eu

